

NC Controlled Substance License #: NC-DHHS-1002881
 DEA Controlled Substance License #: RD0577986
 ISO 17025 Certification: PENDING
 Proficiency Testing Enrolled: Hemp PT Program U of Kentucky Regulatory Services

9
ANALYTICAL
Delta 9 Analytical
 Professional, Accurate, Responsive

Laboratory Location
 6308 Angus Drive, Ste B
 Raleigh NC 27617
 919-673-7153 / 919-450-1870
 frank@delta9analytical.com
 michael@delta9analytical.com

Client Name: **Monster Vape Labs**
 Client Address: 1041 Crews Commerce Dr.
 Orlando, FL 32837
 Grower/Processor Lic#:

Sample ID: **2477**
 Received Date: 05132021
 Reported Date: 05142021
 Test(s) Ordered: **Cannabinoids**

Sample Name: **Apple Syrup**
 Sample Type: Extract; 21051009
 Sample Matrix: **Syrup**; 50mg
 Sample Size: 4oz Test Size: 97.1mg

CANNABINOID SUMMARY

TOTAL CANNABINOIDS: 0.0431%
Δ8-THC: 0.4312 mg/g (51.7 mgs/4oz)
TOTAL THC: ND
Δ9-THC: ND

BATCH PHOTO



CANNABINOIDS (Liquid Chromatography Mass Spectrometry - LCMS)

ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)	ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)
Cannabinol (CBN)	ND	ND	0.005	Cannabidiol (CBD)	ND	ND	0.005
Δ8-THC	0.0431	0.4312	0.005	Δ9-THC Acid (THCA)	ND	ND	0.005
Cannabichromene (CBC)	ND	ND	0.005	THC-varian (THCV)	ND	ND	0.005
Cannabigerol (CBG)	ND	ND	0.005	***Δ9-THC	ND	ND	0.005
Cannabidiol (CBD)	ND	ND	0.005	**TOTAL CANNABINOIDS	0.0431	0.4312	
Cannabigerolic Acid (CBGA)	ND	ND	0.005	*TOTAL THC	ND	ND	
Cannabidivarin (CBDV)	ND	ND	0.005	*TOTAL CBD	ND	ND	

*Calculated as follows: Total CBD/G = CBD/GA% (0.877) + CBD/G%. Total THC = THCA% (0.877) + Δ9-THC %. **Total Cannabinoids is the absolute sum of all cannabinoids detected. ND = Not Detected

RESULT CERTIFICATION

 05142021
 Frank P. Mauro COO/Michael R. Horton CSO & Date



Scan QR Code to verify COA at www.delta9analytical.com

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. ***The uncertainty of measurement associated with the measurement result reported in this certificate is available from D9A upon request. This report may not be reproduced, except in full, without the written approval of D9A.